

Automated Perimetry

Visual Field Digest

Fifth Edition, 2004

*Albert Weijland
Franz Fankhauser
Hans Bebie
Josef Flammer*




Table of Contents

PURPOSE OF THIS TEXTBOOK	ix
1 AUTOMATED PERIMETRY - INTRODUCTION	2
1.1 Perimetry - Evaluation of the Visual Field	3
1.2 Automating Perimetry - a Historical Excursion	4
1.3 Computer Assisted Perimetry	8
1.3.1 Automated perimetry - a subjective test	8
1.3.2 Threshold of Differential Light Sensitivity (d.l. sensitivity)	8
1.3.3 Static or kinetic perimetry	9
2 THE VISUAL FIELD - BASIC NOTIONS	10
2.1 On the Limits of Visual Detection	11
2.2 Static Perimetry	12
2.3 Threshold of Differential Light Sensitivity: Frequency-of-Seeing Curve	12
2.4 The Extent of the Visual Field	13
2.5 The Hill of Vision	14
2.6 The Normal Visual Field	15
2.7 Static Perimetry: Determining the Shape of the Hill of Vision	16
2.8 The Measuring Range and Scale of Sensitivities in Decibels	17
2.9 Standard Test Conditions	19
2.9.1 Background luminance	20
2.9.2 The standard Goldmann III stimulus size	20
2.9.3 Stimulus exposure time	22
2.9.4 Stimulus interval	22
2.10 Special Perimetric Methods	23
2.10.1 Kinetic perimetry	23
2.10.2 Other perimetric methods	23
3 METHODS FOR DETERMINING THE DIFFERENTIAL LIGHT SENSITIVITY	24
3.1 Measurement Strategies	25
3.2 Normal Test Strategy	25
3.2.1 Testing four primary (anchor) points	25

3.2.2	Testing further locations	27
3.2.3	Determining the threshold with the Normal strategy	27
3.2.4	Fatigue effects due to a long test duration	28
3.3	OCTOPUS Programs with Staging	29
3.3.1	The principle of test stages	29
3.3.2	The use of test phases	31
3.3.3	Benefits of the stage- and phase concepts	31
3.3.4	Comparing a 2-stage with a 4-stage examination	32
3.4	Dynamic Test Strategy	32
3.5	Tendency Oriented Perimetry (TOP)	33
3.5.1	Basic principles	34
3.6	Rising Amplitude Perimetry (RAMP) Strategy	37
3.7	Qualitative 2-Level (3-Zone) Test	37
3.8	Qualitative 1-Level (2-Zone) Test	38
3.9	Test Strategies in Comparison	39
4	SPECIAL DIAGNOSTIC METHODS	40
4.1	The Use of Special Perimetry Methods	41
4.1.1	Glaucoma	41
4.1.2	Early loss of ganglion cells	41
4.2	Blue-on-Yellow Perimetry	42
4.2.1	Discussion	42
4.3	Flicker Perimetry	44
4.3.1	CFF measurement	44
4.3.2	Superior sensitivity for early detection	45
4.3.3	Experimental test strategies	46
4.3.4	Central critical fusion frequency (CCFF)	46
4.3.5	Influence of media opacities and blur	47
4.4	Goldmann Kinetic Perimetry	48
4.4.1	The OCTOPUS 101 GKP module	49
4.5	Multifocal Electroretinogram (mfERG) and Multifocal Visual Evoked Potentials (mfVEP)	52
5	OCTOPUS EXAMINATION PROGRAMS	54
5.1	Elements of the Examination Programs	55
5.1.1	Test locations	55
5.1.2	Test strategies	55

5.1.3	Program characteristics	57
5.1.4	Special perimetry methods	57
5.2	Normal values	58
5.2.1	Standard White-on-White perimetry	58
5.2.2	Normal data for special perimetry methods	58
5.3	Program Overview	59
5.4	Program G1/G2 - Glaucoma Examination	60
5.4.1	Program G1	60
5.4.2	Program G2	60
5.5	Program 32 - General (Threshold) Examination	62
5.6	Program 08 - Macula Program	63
5.7	Program M2X/M2 - Macula Examination	64
5.8	Program N1 - Neurological Test	66
5.9	Program D1 - Diabetes Examination	68
5.10	Program BT - Blepharoptosis Test	69
5.11	Program LVC and LVP - Central and Peripheral Low Vision Tests	70
5.12	Program STX/ST - Glaucoma Screening Test	72
5.13	Program 07 - Screening Test (Central and Peripheral Field)	73
5.14	Program ET - Binocular Esterman Test	74
5.15	Program BG and FG - Legal Test Examinations	75
5.15.1	“Blindengutachten” Program	75
5.15.2	“Führerscheingutachten” Program	75
5.16	Program CT - Custom Test Program (User-Defined Tests)	76
6	TESTING THE VISUAL FIELD – PRACTICAL DIRECTIONS	78
6.1	Basic Considerations for Testing Visual Fields	79
6.1.1	A quick (screening) test	79
6.1.2	A more extensive examination	80
6.1.3	The patient’s condition may ask for a compromise	80
6.2	Selecting the Examination Program	80
6.2.1	Selecting the test locations	81
6.3	Selecting the Test Strategy	81
6.3.1	Supra-threshold (qualitative) screening tests	81
6.3.2	Threshold examination with the TOP strategy	81
6.3.3	Threshold examinations using the Dynamic test strategy	82
6.3.4	Normal threshold examination	82
6.4	How to Avoid Artifacts and Improve Field Reliability	83

6.4.1	Setting up the perimeter	83
6.4.2	Instructing the patient, explaining the procedure	83
6.4.3	False entries	84
6.4.4	Setting up the patient	84
6.4.5	Positioning the patient and alignment of the chin rest	85
6.4.6	Facial structure of the patient	85
6.4.7	Refraction and trial lenses	85
6.4.8	Cylinder lenses	86
6.4.9	Dirty contact lens	87
6.4.10	Pupil size	87
6.4.11	False positive catch trials	88
6.4.12	False negative catch trials	88
6.4.13	Learning effect	88
6.4.14	'Fatigue' effects	88
6.5	Supervising the Examination	89
6.5.1	Test duration and progress	89
6.5.1	Eye fixation control	90
6.6	Useful Guidelines to Test Visual Fields	91
7	REPORTING VISUAL FIELD DATA	92
7.1	Display and Printout Formats	93
7.1.1	Patient data	93
7.1.2	Examination data	93
7.1.3	Value (VA) table	96
7.1.4	Comparison (CO) table	96
7.1.5	Greyscale	96
7.1.6	Cumulative defect curve (CD)	97
7.1.7	Deviation	99
7.1.8	Corrected comparison table	99
7.1.9	Probability plot	99
7.1.10	Corrected probability plot	100
7.2	Visual field indices	100
7.2.1	Definition of the visual field indices	101
7.2.2	Mean sensitivity – MS	101
7.2.3	Mean defect – MD	102
7.2.4	Loss variance – LV	102
7.2.5	Short term fluctuation – SF	103

7.2.6	Corrected loss variance – CLV	103
7.2.7	Reliability factor – RF	103
7.3	Printout Reports	103
7.3.1	Seven-in-One report	104
7.3.2	Combination report	104
7.3.3	Large graphics	104
7.3.4	Two-on-One report	105
7.4	PeriTrend PC Software	106
8	INTERPRETING VISUAL FIELD DATA - BASIC CONSIDERATIONS	108
8.1	The Variability of Visual Fields	109
8.2	Thresholds and their fluctuations	109
8.2.1	Short term fluctuation – SF	110
8.2.2	Long term fluctuation – LF	111
8.3	Comparison with Normal Sensitivity	111
8.3.1	Local deviations from normal sensitivity	112
8.4	Assessment of Visual Field Change with Time	113
8.4.1	Comparing two fields: local changes	113
8.4.2	Significant Trend: Minimum Change per Interval	114
8.5	Global visual field indices	116
8.6	Follow-up Assessment of Trends	117
8.6.1	OCTOPUS Follow-up form	118
8.6.2	Glaucoma staging system	118
8.7	PeriTrend Statistical Software	118
8.7.1	Series display and print	119
8.7.2	Trend display and print	120
8.8	PeriData Statistical Software	120
8.8.1	PeriData trend analysis	121
8.8.2	PeriData GATT graphics	121
9	ANALYZING VISUAL FIELDS	122
9.1	Analyzing Visual Fields	123
9.1.1	Avoiding artifacts	123
9.1.2	Accounting for pre-retinal defects	124

9.2	Anatomy of the Visual Pathway	124
9.2.1	The retina and choroid	126
9.2.2	The optic nerve head	128
9.2.3	The optic nerve	128
9.2.4	The chiasm	129
9.2.5	Postchiasmal	130
9.3	Useful Guidelines for Detecting Abnormality	132
10	PATHOLOGY AND VISUAL FIELDS	134
10.1	Glaucoma	135
10.1.1	Structural damage in glaucoma	135
10.1.2	Functional loss in glaucoma	136
10.2	The role of perimetry in glaucoma	136
10.3	White-on-White Perimetry	137
10.3.1	The nerve fiber bundle defect	137
10.3.2	Other visual field areas of concern in glaucoma	139
10.3.3	Diffuse and focal field defects	139
10.3.4	Perimetry and optic nerve cupping	140
10.3.5	Perimetry in the case of terminal optic nerve cupping	140
10.4	Flicker Perimetry	141
10.5	Blue-on-Yellow Perimetry	143
10.6	Neurological Fields	145
10.6.1	The static field	145
10.6.2	Defect Characteristics	145
10.7	The Goldmann kinetic field	146
10.8	Diseases of the Retina	147
10.8.1	Retinitis pigmentosa	148
10.8.2	Diabetic retinopathy	148
10.8.3	Macular diseases	149
10.9	Pediatric Visual Fields	150
10.10	Useful Guidelines for Performing and Interpreting Visual Fields in Children	151
11	THE OCTOPUS PERIMETERS	160
11.1	Cupola Perimeter OCTOPUS 101	161
11.1.1	The measuring unit	162
11.1.2	The control unit	164

11.1.3	Displaying results	166
11.1.4	Import data from other sources (perimeters)	168
11.1.5	Blue-on-Yellow (B/Y) perimetry	168
11.1.6	Goldmann Kinetic Perimetry (GKP Option)	168
11.2	Direct Projection Perimeter OCTOPUS 300	170
11.2.1	Direct Projection System	171
11.2.2	Revolving optical unit	172
11.2.3	Control elements	172
11.2.4	Printing the results	174
11.2.5	Data transmission	174
11.2.6	LAN interface	174
TEXTBOOKS		176
CITED REFERENCES		177
ADDITIONAL READING MATERIAL		179
	Historical Excursion	179
	Standards in Perimetry	181
	Comparison of Perimeters	181
	Normal Population	181
	Test Strategies	181
	Examination Programs	182
	Testing the Visual Field	183
	Variability of Visual Fields	183
	Visual Field Indices	184
	Interpretation, Analysis of Change and Progression	184
	Glaucoma	185
	Pathogenesis of Glaucoma	186
	Cataract	186
	Special Perimetry Methods	186
	Kinetic Perimetry and the Peripheral Field	187
	Experimental Work	188
	Other Diagnostic Methods	188
INDEX		189